Here's every cross-border service that I'm aware of that is listed in ARROW by "train" number. I've also added every city-pair for each one that would involve cross-border travel:

Vermonter Thruway bus (St. Albans - Montreal) (Operated by Vermont Transit) ARROW Train Nos. 8055, 8066 Cross-border city-pairs: US point: SAB Canadian point: Adirondack train (New York - Montreal) ARROW Train Nos. 68, 69 Cross-border city-pairs: US points: NYP/CRT/POU/RHI/HUD/ALB/SDY/SAR/FED/WHL/FTC/POH/WSP/PLB/RSP Canadian points: SLQ/MTR Maple Leaf train (New York - Toronto) ARROW Train Nos. 63, 64 (between US points and the border) ARROW Train Nos. 7097 and 7098 (Canadian points and the border) Cross-border city-pairs: US points: NYP/YNY/CRT/POU/RHI/HUD/ALB/SDY/AMS/UCA/ROM/SYR/ROC/BUF/BFX/NFL Canadian points: NFS/SCA/GMS/AST/OKL/TWO (via CBN) International train (Chicago - Toronto) ARROW Train Nos. 364, 365, 367 (between US points and the border) ARROW Train Nos. 7085, 7088, 7685 (between Canadian points and the border) Cross-border city-pairs: US points: CHI/HMI/NLS/KAL/BTL/LNS/DRD/FLN/LPE/PTH Canadian points: SIA/SRY/LOT/SMA/STF/KOT/GUE/GEO/BRT/MON/TWO (via CBM) Amtrak Cascades train (Seattle - Vancouver) ARROW Train Nos. 760, 763 Cross-border city-pairs: US points: SEA/EDM/EVR/MVW/BEL Canadian point: VAC Amtrak Cascades Thruway bus (Seattle - Vancouver) (Operated by Western Trailways) ARROW Train Nos. 8911, 8914, 8948, 8950, 8952, 8953, 8955, 8957 Cross-border city-pairs: US point: SEA Canadian points: RBC/SUY/VAC Amtrak Cascades Thruway bus (Bellingham - Vancouver) (Operated by Western Trailways)

US point: BEL Canadian point: VAC

ARROW Train Nos. 8661, 8662 Cross-border city-pairs: Clipper Navigation Thruway ferry (Seattle - Victoria)

ARROW Train Nos. 7406, 7407


(Note: additional train numbers appear on this service every summer as the carrier offers several departures per day during peak season)

Cross-border city-pairs:

US point: SEA

Canadian point: VBC


Exemption 6



	PROJE		
	CHANGE REQU	A CONTRACTOR OF THE PARTY OF TH	207374
Change Request Number:	Project Numb		ate:
Project Title: 5DOB Arrow			
Change Description: Add	GDS manual ticket queuing	Importance:	Critical
requirement			Necessary X
***************************************		1	Desired \Box
Requested By:	Date Su	bmitted: 9Jul04	
Purpose of Change Request:	X Add New Requirement	Change a Requir	rement
	Delete Requirements	Clarification Inci	
Change to Which Document? Description of Change:	Business Justification	X Requirements Definition	Detailed Sizing
In order to ensure that to up action by Amtrak is and there is no valid DC queue 'TEL' (specific notes that the following informat when the PNR is displayed.)	this produces a 7 MAN field in the required Date-Of-Birth (Do required in order to obtain the DB data present, the PNR need number to be determined). It ional header should be placed yed in queue OR a new queue NUAL TK – DOB REQUIRING the situations where trav	OB) data is entered into the cross DOB. If '7 MAN' is the ONI ds to be queued to the Travel A at the top of the PNR so it appeareds to be labeled as such: ED" vel agencies manually ticket	ess border PNR, follow- LY 7Field in the PNR gency Sales Center's ears
Impact Summary and Recom During ticketin	mendation: the GDS manual ticketing	process, activate the existing queue the PNR to the Travel	p DOB checks for
Estimated Cost Impact: \$3,00	00 Estin	nated Schedule Impact: 1	Week

AT:	Accept. Test:	AT:	Accept. Test:
Impl.:		Impl.:	The state of the s
Total Development Ongoing Cost Esti	tt Cost Impact: \$3,000 mate:	Overall Schedule Im New Implementation	
Action: Approved Deferred Rejected	Priority:HighMediumLow (Attach add	DISPOSITION Accepted by: Sr. Sales Support Officer CR&R Director AT Project Manager	Date:Date:

Prepared by:





GDS Interface - Passenger ID and Gender Information

Detailed Design Document

Prepared By:



Date: August 9, 2005

Version: 1.0

Exemption 6



Revisions

Note: When making revisions to the document select 'revisions' from the tools option of Word to highlight changes for clarification when reviewing the document.

Description of Change	Revision Date	Section Changed	Submitted By
New Document	August 1, 2005		
	- 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		



DESIGN DOCUMENT SIGN OFF

Attach copies of all electronic approvals received for this document in Appendix A.

Revision Number	Date	Project Function	Name	Sign-Off Memo Attached Y/N
		PROJECT SPONSOR		
		BUSINESS PRODUCT MANAGER		
		PROJECT DIRECTOR		
		PROJECT MANAGER		





1	. РКОЛ	ECT OVERVIEW	
	1.1 FUNCT	TIONAL DESCRIPTION	
	1.2 TECHN	NICAL DESCRIPTION	
	1.2.1	Inbound Teletype	
	1.2.2	End Transaction I	••••
	1.2.3	Outbound Teletype	
	1.2.4	PNR displays	.,
	1.2.5	CEM Table	
2.	. ASSUM	MPTIONS	
		FIONALITY	
	2.1.1 2.1.1	Paratired information	
	2.1.2	Required information:	2
	2.1.2 2.1.3	Teletype Element Format	
	2.1.4	PNR Display of Passenger Information Request	4
	2.1.5	PNR History Display of Passenger Information Request	
	2.1.6	Ticketing	2
		M	0
	2.3 ENVIR	ONMENT	ا
3.	DEPEN	NDENCIES	6
	3.1 PROJEC	CTS	-
	3.2 SYSTER	M RESOURCES	***** **
4.		RONMENT	
	4.1 INTERN	NAL	7
		NAL	
5.	PROCE	ESS FLOW	7
6.	DATA 1	BASE SPECIFICATION	_
ν,			
	6.1 EXISTI	NG DATA BASES AND THEIR USE	7
	6.2 NEW D	DATA BASES AND THEIR USE	7
	6.3 FILE M	AINTENANCE / UTILITIES	7
		BASE CREATION	
7.	PROGE	RAM SPECIFICATIONS	8
	7.1 INBOUR	ND TELETYPE	8
	7.1.1	TID6: Process SSR segments	8
	7.1. 2	TIG2: Validate key in OSI item	8
	7.1.3	TIG3: Act on result from OSI request	8
	711	TIG5: Process OSI DOCS item	
	7.1.4		×
		ECKETING	ያ
		`ICKETING	8
	7.2 GDS T	TCKETING	8 8
	7.2 GDS T 7.2.1	`ICKETING	8 8





ESTIM. 1.1.1 1.1.2 1.1.3	M IMPACTS ATED IMPACTS: CPU cycles and DASD Other Hardware Line capacity ESS AREAS IMPACTED	9
ESTIM. 1.1.1 1.1.2	ATED IMPACTS:	9
ESTIM. .1.1	ATED IMPACTS:	9
ESTIM	ATED IMPACTS:	9
YSTE	M IMPACTS	9
.4.2	PDED: Add passenger data to AAA	9
.4.1	PDEC: 5-entries processing	
PID PF	ROCESSING	C
.3.2	TAH7: Display PNR history for 5-fields to GDS agent	
.3.1	TAK5: Display 5 fields to GDS agent	(
PNR F	ACE AND HISTORY DISPLAY BY GDS AGENT	Ç
	3.1 3.2 PID PI 4.1	3.2 TAH7: Display PNR history for 5-fields to GDS agent



DETAILED DESIGN DOCUMENT

1. Project Overview

1.1 Functional Description

In order to support the new requirements for border crossing being requested by US Customs Border Protection Agency in ARROW, Amadeus will need to support the transfer of additional passenger identification information from the Amadeus system into the ARROW system.

US Customs Border Protection Agency has also informed Amtrak that all first names must be a minimum of 2 characters.

1.2 Technical Description

Highlight this area and provide a brief technical description of the project. The technical description should only be added after completion of the remaining sections of this document. If the project is to be implemented in separate products, clearly define the separate products here.

- 1.2.1 Inbound Teletype
- 1.2.2 End Transaction I
- 1.2.3 Outbound Teletype
- 1.2.4 PNR displays
- 1.2.5 CEM Table



2. Assumptions

2.1 Functionality

2.1.1 Required information:

Each GDS is required to supply the date of birth and country of citizenship for each passenger in a border-crossing PNR, including infants. The new requirements from the US Customs Border Protection group are to also collect gender and passenger identification.

- Document Type
 - RA US Resident Alien Card
 - PR LPR (Legal Permanent Resident) Card
 - PP Passport
 - RE Re-entry Permit
 - RT Refugee Travel Document
 - NC Naturalization Certificate
 - BC Birth Certificate (requires photo id)
 - MO Military Orders (requires photo id)

Document Number

Required for the following types:

- RA US Resident Alien Card
- PR LPR (Legal Permanent Resident) Card
- PP Passport
- RE Re-entry Permit
- RT Refugee Travel Document
- NC Naturalization Certificate

Optional for the following types:

- BC Birth Certificate (requires photo id)
- MO Military Orders (requires photo id)
- Document Expiry Date

Mandatory for the following document types:

• PP - Passport

Not accepted for the following document types:

BC – Birth Certificate

Optional for all other types



■ Gender

- M-Male
- F Female

US Customs Border Protection Agency has also informed Amtrak that all first names must be a minimum of 2 characters. Amtrak will enforce this requirement and reject any Teletype message where the first name of a passenger is less than 2 characters. Amadeus will receive and Acknowledgement notifying them of the reject.

2.1.2 Teletype Element Format

This new element would replace the date of birth OSI. Subject to the approach picked, the data would be placed into the GDS PNR using their system's format for creating the approach (OSI or SSR) picked.

SSR Format:

SSR DOCS 2V $\frac{1}{2}$ $\frac{123456789012345}{123456789012345}$ $\frac{1}{2}$ $\frac{1}$

Where:

- (a) = Supplementary Service Code
- (b) = "Primary Travel Document" SSR Code
- (c) = Carrier participating in the itinerary and program
- (d) = Status code and Number in Party
- (e) = Travel document type (2 Character)
- (f) = Travel document issuing Country (2 Characters)
- (g) = Travel Document Number (15 Characters)
- (h) = Passenger Nationality (2 Characters)
- (i) = Date of Birth (DDMMMYY)
- (j) = Gender of passenger
 - M Male
 - F Female
 - MI Infant Male
 - FI Infant Female
- (k) = Travel Document expiry date (DDMMMYY)
- (1) = Travel Document Surname
- (m) = Travel Document First Given name



- (n) = Multi-passenger PNR Primary passport holder indicator (option)
- (o) = Passenger associated name including number in party

All fields following (d) must be separated by an oblique (/). If the field is not provided an oblique (/) is inserted to indicate an element is missing.

OSI Format:

OSI 2V DOCS HK1/RA/US/123456789012345/12JUL2004/M/12JUL1964/GB-1TEST/JOE (a) (b) (c) (d) (e) (f) (g) (h) (i) (j) (k) (l)

Where:

- (a) = Supplementary Service Code
- (b) = Carrier participating in the itinerary and program
- (c) = "Primary Travel Document" SSR Code
- (d) = Status code and Number in Party
- (e) = Travel document type (2 Character)
- (f) = Travel document issuing Country (2 Characters)
- (g) = Travel Document Number (25 Characters max)
- (h) = Travel Document expiry date (DDMMMCCYY)
- (i) = Gender of passenger
 - M-Male
 - F Female
 - MI Infant Male
 - FI Infant Female
- (j) = Date of Birth (DDMMMCCYY)
- (k) = Passenger Nationality (2 Characters)
- (1) = Passenger associated name including number in party

All fields following (d) must be separated by an oblique (/). If the field is not provided an oblique (/) is inserted to indicate an element is missing.

2.1.3 Response

A valid passenger information item will be added to the Arrow PNR, and no response returned. In the case of an error, Arrow will return an advisory message to that effect and that no action has been taken to update the Arrow system. The message will be returned in SSR OTHS elements.



Errors:

ADVISE PSGR: VALID PHOTO ID REQUIRED INVALID FORMAT INVALID ID TYPE FOR NON-US/CA CITIZEN INVALID GENDER, MUST BE M OR F PSGR NBR TOO HIGH FOR NBR OF NAMES ENTERED INVALID PSGR NUMBER (MUST BE 1-19)

2.1.4 PNR Display of Passenger Information Request

Once Passenger information is added to the PNR, it will be displayed in the Arrow view of the PNR. The information will be placed into the PNR as two separate items – the DOB field that exists today and the new PAX ID field.

0F8C5F RR HL29JUL CTC-P	321.00	/
-01@ 1/COBLE/GEOFF		
-02@ 1/COBLE/SUSAN		
-03@ 1/ICOBLE/EMILY		
1 2V 68C MTRALB 950A01JUN	7 505P0ljun yd	O HK3
301@ R SEG : 1 BASIS 3F /P1-	-3	
* YOB1 RAIL FARE 123.0		
2 2V 49C ALBCHI 650P01JUN	930A02JUN YD	O HK3
302@ R SEG : 2 BASIS 3F /P1-		
* DOFI RAIL FARE 198.0		
4001@ OSI		
* PNR REQUIRES DOB INFORMATION	N PRIOR TO TICKETING	
4002@ OSI		
* PNR REQUIRES DOB INFORMATION	ON PRIOR TO TICKETING	
501@ DOB- 09JUL1962/US/P1	· · · · · · · · · · · · · · · · · · ·	
502@ 06JUL1962/US/P2	}	
505@ 09SEP1999/US/P3		
506@ PAX ID - PP/US/123456789/F		
507@ PAX ID - RA/US/123456789/E	-	
504@ FBD- 3F	,	
1	9/US-COBLE/EMILY	
901@ NONE	- , we will see a fact the second of th	

Infants would be shown as follows and assigned to the passenger would has the infant associated in the same way as DOB today.

503@ PAX ID - *INFRA/US/123456789/F/P3

2.1.5 PNR History Display of Passenger Information Request

Passenger information will only appear in history when it is cancelled. DOB information will continue to appear when it is

Date Printed: 5/8/2015

Page 5 of 18

Design Document



added or cancelled.

```
OF8C5F
   CTC- T
       RM 640A 22JUL2005 QTS
   001 COBLE/GEOFF
   001 COBLE/SUSAN
AN
AN
   001 ICOBLE/EMILY
            68C MTRALB 950A01JUN 505P01JUN YD
AS
     1 2V
                                                        KK3
AS
     2 2V
             49C ALBCHI 650P01JUN 930A02JUN YD
                                                        KK3
AD
     DOB-
               09JUL1962/US/P1
     DOB-
AD
              06JUL1962/US/P2
 CTC- T02501074 *0000000/1EU5107
 1V Y RM 640A 22JUL QTS L007
     DOB-
              09SEP1999/US/P3
 CTC- T02501074
  4894 CS 704A 22JUL HDQ L007
     PID-
              RA/US/123456789/F
COBLE/GEOFF
 CTC- T02501074
 4894 CS
           704A 22JUL HDQ L007
OC TKRO PNOXDK
  4894 CS
            720A 22JUL HDQ L007
```

2.1.6 Ticketing

The checks at ticketing will be enhanced to include the following new error messages in addition to the existing DOB message:

PAX ID AND DOB REQUIRED BEFORE TICKETING PAX ID INFORMATION REQUIRED BEFORE TICKETING

2.2 System

There will be no impact to system performance.

2.3 Environment

- ARROW will handle the new name associated GDS PNRs.
- ARROW will pass the name association of existing PNRs back to the GDS on claim entries.

3. Dependencies

PROJECT DEVELOPMENT METHODOLOGY-Amtrak



3.1 Projects

Requires ... to be implemented.

3.2 System Resources

Requires the allocation of ... file.

4. Environment

4.1 Internal

N/A

4.2 External

5. Process Flow

This section describes how the application is to handle the input to output process, using a high-level flowchart or narrative (pseudo code or paragraph style). Highlight this area and replace with process flow using method chosen.

6. Data Base Specification

6.1 Existing data bases and their use

None

6.2 New data bases and their use

None

6.3 File Maintenance / Utilities

None

6.4 Data Base Creation

N/A



7. Program Specifications

7.1 Inbound Teletype

7.1.1 TID6: Process SSR segments

Scan and validate the SSR DOCS item if present in the TTY message. If correct, have the information in it sent to TIG so it can be processed accordingly.

7.1.2 TIG2: Validate key in OSI item

Add 'DOCS' as one of the valid keys for an OSI item. If an OSI DOCS is found, call TIG5 for processing. Verify that condition code is passed to TIG3 as passed from TIG5 in EBX084.

7.1.3 TIG3: Act on result from OSI request

Add an OSI item with error message to the PNR if the request is invalid or not successful (i.e. condition code returned from PD package or TIG5 in EBX084).

7.1.4 TIG5: Process OSI DOCS item

Parse and validate the OSI DOCS item. If correct, build both a dummy 5PID and 5DOB requests with the information provided in the OSI DOCS items and submit them as internal request for processing. Upon completion, pass return condition to calling program thru EBX084.

7.2 GDS Ticketing

7.2.1 TAX0: One-ticket-per-passenger path

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, send canned error message to agent and do not process ticketing request.

7.2.2 TAAE: Old ticketing path

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, send canned error message to agent and do not process ticketing request.



7.2.3 TPE3: Worldspan ticketing path

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, send canned error message to agent and do not process ticketing request.

7.2.4 TOO1: 'PNR now ticketed' process

When processing a border-crossing make sure that valid DOB and PID information is present in the PNR. Call utility RMUX (?) for that verification. In case of error, take existing error path so PNR is queued to TEL/80.

7.3 PNR face and history display by GDS agent

TAK5: Display 5 fields to GDS agent

Add logic to dislpay new 5 PAX ID fields. They should be displayed after 5 DOB fields and on top of others 5 fields.

7.3.2 TAH7: Display PNR history for 5-fields to GDS agent

Display any history item with DOB and PAX ID information that is found in the PNR history.

7.4 PID processing

These changes are subject to revision upon how the code for 5PID is built.

7.4.1 PDEC: 5-entries processing

Add check for TTY error if entry is 5PID (See code for 5DOB)

7.4.2 PDED: Add passenger data to AAA

Add additional check for 5PID to turn indicator in AAA if a new 5PID item was added (See code for 5DOB)

8. System Impacts

8.1 Estimated impacts:

It is anticipated that there will not be any measurable impacts.

8.1.1 CPU cycles and DASD

PROJECT DEVELOPMENT METHODOLOGY-Amtrak



- 8.1.2 Other Hardware
- 8.1.3 Line capacity



9. Business Areas Impacted

Business Area/	Impact	User	Comments
Business System	(Y/N)	Representative	
Train Operations (CNOC)			
Station Operations			
Amtrak Police		, , , , , , , , , , , , , , , , , , ,	
Amtrak Vacations			
Audit/Control			
CETC			
Commissary			
CRM			
Finance			
GDS			
GD5 -Group Desk Database			
Government Affairs			
Internet			
ITSC			
Mail and Express			
Marketing			·
On Board Services			
Outside Vendors			
Reservation Sales			4
Revenue Management			
SBUs			
Intercity			
NEC			
Western			
Service Operations (Guest			
Advocacy)			
State Agencies			
Tariff			
V RU			
Call Center MIS			



10. Application / System Areas Impacted


ARROW Application Area	Technical Impact (Y or N)	User Impact (Y or N)	Area Representative	Comments
AAA/Sine				
Availability				
End Transaction				
Inventory				
Schedules				
Nightly FM		***************************************		
PNR				
Fares and Pricing				-
Ticketing				***************************************
ARROW	Technical	User	Area	Comments
Application	Impact	Impact	Representative	Comments
Area	(Y or N)	(Y or N)	x opi esemente	
Seat Assignment	(* 0/11)	(1 01 11)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Manifest				
OMS				
Mail and Express				
Security				
Cash Management				
Station Operations				
Queues				
ARROW	Technical	User	Area	Comments
Systems	Impact	Impact	Representative	Comments
Area	(Y or N)	(Y or N)	F	•
TPFAR		(2 02 11)		
Recoup				
TPFDF Tables				
Communications				
Message				
Switching				
ownching				
Vendor	Technical	User	Area	COMMENTS
Software	Impact	Impact	Representative	
impacted or	(Y or N)	(Y or N)	-F	
needed	((= 0. 11)		
HOUSE			1 [



System and Distribution Channel Interface	Technical Impact (Y or N)	User Impact (Y or N)	Area Representative	COMMENTS
Areas		•		
BIS				
Data Warehouse				
DB2				
GDS				
MTI/GVG				
QuikTrak				
Internet				
BTS				
VRU				
Handheld				
CTI				
AAPI				
RailRes				
QTMS				
Western Folder		· · · · · · · · · · · · · · · · · · ·		

Appendix A - Verification of Sign Off

Attach copies of any electronic memos submitted as signoff for this document.



Overview of the Program

Beginning December 1, 2000 all reservations booked between the United States and Canada in either direction will require the date of birth and country of citizenship for each guest traveling prior to ticketing. The guest must give this information either at the time the reservation is booked or when the ticket is purchased. No guest will be ticketed who has failed to or is unwilling to provide this information.

Guest Documentation Requirements

Guests must be advised that Canadian and U.S. Customs officials require that they have certain documentation with them when leaving or re-entering the country.

For more information check your GDS system:

Amadeus:

R//G/TVL/CDA

Apollo:

L[]2V/G/TVL/CDA

Worldspan: @2V@G/TVL/CDA

Sabre:

Y/TVL/CDA

AGENCY INSTRUCTIONS RESERVATIONS

- 1. Create or claim Amtrak PNR (see Amtrak quick reference card, Book and Ticket in 7 Easy Steps)
- 2. Enter the 5DOB field

Where:

3. A 5DOB field must be completed before tickets can be issued. If an agent tries to produce tickets for a guest on a cross border segment who does not have a "5DOB" field, an error message will be displayed to the agent.

GDS	Format
Amadeus	OS2V DOBddmmmyyyy/cc(/*text)-Passenger/name
Apollo	[]:3OSI2V DOBddmmmyyyy/cc(/*text)-Passenger/name
Sabre	ZZ5DOBddmmmyyyy/cc(/*text)/P#
Worldspan	3OSI2V DOBddmmmyyyy/cc(/*text)-Passenger/name

• Sabre entry must be passenger associated. The # symbol indicates passenger name number.

DOB - Action code

dd - two character code(01-31)

mmm - three character month(JAN-DEC)

yyyy - four character year

cc - two character country code

- two character country code

text - Optional twenty character free text field

-Passenger/name - Passenger name or association

4. Ticket using normal ticketing entries.

COUNTRY CODES

Country codes are the standard two letter universally recognized country codes.

Sabre and Amadeus agents can display the country code table in the Amtrak system using normal GDS entries. NOTE: Apollo and Worldspan agents must use their normal GDS functions.

SABRE	AMADEUS
To see list of all codes in	country code order:
ZZRM*CY	R//RM*CY

Error Responses

NAME REQUIRED PRIOR TO ENTERING 5DOB

This message indicates that the agent has attempted to enter date of birth/country of citizenship information for a guest prior to entering the guest's name.

INVALID DATE, IN FUTURE

The agent has attempted to enter a date of birth that is beyond today's date.

INVALID DATE DDMMM

Either the date is invalid for the month specified or the three-character month code is not correct.

INVALID COUNTRY CODE

The two-letter country code does not match one in Amtrak's country code table.

INVALID DELIMITER

A required delimiter has not been entered correctly.

To Order Additional Border Crossing Materials

Border Crossing materials can be ordered through Western Folder on line at: www.travelinfonetwork.com. Or by faxing Western folder at 630-773-4006 with your request.

Be sure to include stock number, quantity, and your agency ARC number.


* Stock number for quick reference cards: 027302

For Automation Questions

Exemption 6

U.S / Canada agents:	Amtrak Service Center	Prof. Common Services	Fax:	
		e-mail:	an Appropriate of Particles	
Overseas agents:	Intl Reservation Support		Fax:	
		e-mail:		

Stock # 027302 12 / 00



	Exemption 5
Hi	
He	yI didn't get much time to test. I conducted my testing from the attached functional requirements provided. vever, I created and ticketed PNR "OED16C" and tested passenger with Passport and the other with Birth Certificate. lough, I noticed there was no TCN number sent from Sabre to Arrow.
	ist say these formats are quite lengthy. Through all my errors I just about validated all the errors. Thever was able et an infant booked. How does an infant booking work? Does this only work when a sleeper is booked?
	uded in the test script it would be extremely helpful if a full scenario explaining the infant booking process could be uded for and account testing tomorrow.
Th	nks,
Fr	Original Message m t: Monday, September 19, 2005 11:32 AM
To Co Su	ject: RE: Passenger Information Requirements for Border Crossing
Н	
	is active in our test system, and has an End to End planned for tomorrow. If you can get to this today, to do a little ing, that would be great.
Fr Se	Original Message m: t: Tuesday, August 16, 2005 4:31 PM Musselwhite, Mark

THE CANADA WITH THE PARTY OF THE



Subject: RE: Passenger Information Requirements for Border Crossing



I would like to confirm our IT Department have advised the proposed format will be accepted in Bypass. Please let me know when you are ready to test the proposed Border Crossing format.

Regards,



Sabre / Travel Network

Manager, Rail Account Relations



----Original Message-----

From

Sent: Monday, July 25, 2005 11:15 AM

To

Cc:

Subject: Passenger Information Requirements for Border Crossing

Hello

Please find attached the changes being proposed for the collection of additional identification data for the Border Crossing PNRs in Arrow.

These

changes are being mandated by the US Border inspection Agencies. We have targeted the requirements to be of least impact to you, and have a targeted date of the 1st October. Please review and let me know which approach for passing data that you will employ.

Thanks,



<<SABRE Border Crossing changes.doc>>

From:
Sent:
Thursday, September 22, 2005 11:16 AM
To:

Cc:
Subject:
Amtrak testing for Thursday and Friday September 22/23, 2005.

Good Morning,

PLEASE BOOK PNRs WITH THE FOLLOWING DATES: 22SEP-12OCT

The Test System should be ready for testing around 10:00am ET

1. SABRE ONLY

A. Please create PNR's with Border Crossing segments. Ensure there are minimum of two characters for the first and last names. Add 5DOB(date of birth) and a 5PID field. Modify / delete / add 5DOB and 5PID fields. Ticket and forward PNR numbers.

- B. Create PNR's with Border Crossing segments. Ensure there are minimum of two characters for the first and last names. Email me the PNR numbers. I will add an infant to the PNR's and email back. Add 5DOB and 5PID field for infant. Please ticket and forward PNR's to the test group.
- C. Create PNR's without Border Crossing segments and ensure there are a minimum of two characters in the first and last names. Add a 5DOB and 5PID field (not required in non-border crossing PNR's). Modify / delete / add 5DOB and 5PID fields. Please ticket the PNR's and forward the PNR numbers.
- D. Create PNR's with a 1 character first name and 1 character last name. You should be unable to enter character name fields.

2. AMADEUS, APOLLO, SABRE & WORLDSPAN

- A. Create 2 PNR's. Create one WITHOUT Border Crossing segments and one WITH Border Crossing segments. Ensure there is a minimum of two characters in the first and last names. Add a 5DOB field to each PNR and forward the Amtrak PNR numbers. Do not ticket.
- B. Create 1 PNR to any destination. Please drive the ticket and forward the ticket numbers and the Amtrak PNR number.
- C. Please claim and ticket the PNR assigned to you system. Please forward the Amtrak PNR number.

AMADEUS

APOLLO

SABRE

WORLDSPAN

14A597 14A5B0

14A5B1

14A5B4

3. Do full ARROW regression testing based on the attached standard script.



Please send

and myself the results. Thanks for your cooperation.

Amtrak Travel Agent Sales Center

From:	
Sent:	Wednesday, September 21, 2005 12:10 PM
To:	(E-mail)';
	(E-mail)
Cc:	- 1P (E-mail)'; - 1A (E-mail)';
Subject:	Arrow 'No Smoking' Indicator & PNR Name Restrictions

- 1. Effective for availability displays of 31Oct05 and beyond, the 'N' service indicator which designates 'No Smoking' will no longer appear. Every train [except Auto Train (#'s 52/53)] and every Thruway bus service is entirely non-smoking. This frees up a space in that display which will be used for a new service code in the future. This will also cause the phrase "non-smoking train" to disappear from www.amtrak.com train services displays. It does *not* mean that smoking is going to be allowed again.
- 2. We have been working on a project to convey customs-related passenger and crew information from Amtrak's Arrow system to the U.S Border Inspection Agencies Advance Passenger Information System (APIS). As part of this endeavor, effective 25Sep05, Amtrak will disallow PNR names if the surname or first name is less than two characters in length.

Please ensure that all your subscribers are informed of the above.

From:	
Sent:	Wednesday, September 21, 2005 12:10 PM
To:	(E-mail)';
	(E-mail); (E-mail)
Cc:	- 1P (E-mail)' - 1A (E-mail)';
Subject:	Arrow 'No Smoking' Indicator & PNR Name Restrictions

- 1. Effective for availability displays of 31Oct05 and beyond, the 'N' service indicator which designates 'No Smoking' will no longer appear. Every train [except Auto Train (#'s 52/53)] and every Thruway bus service is entirely non-smoking. This frees up a space in that display which will be used for a new service code in the future. This will also cause the phrase "non-smoking train" to disappear from www.amtrak.com train services displays. It does *not* mean that smoking is going to be allowed again.
- 2. We have been working on a project to convey customs-related passenger and crew information from Amtrak's Arrow system to the U.S Border Inspection Agencies Advance Passenger Information System (APIS). As part of this endeavor, effective 25Sep05, Amtrak will disallow PNR names if the surname or first name is less than two characters in length.

Please ensure that all your subscribers are informed of the above.